



Quality components create the total package.

BHI Doors is a collection of best-in-class components (doors, doorglass, frames, astragals, weather seals, thresholds, locksets, and hardware) used to create entry systems with enduring good looks and superior performance. The majority of our door systems are tested to the HVHZ (High Velocity Hurricane Zone) standards, the most stringent hurricane codes ANYWHERE in the United States. Most all of the BHI Door systems meet the minimum Florida Energy code.

Great craftsmanship, beautiful glass patterns, multiple finish hardware options, superior construction, and energy-saving features all come together in a wide range of entry systems that enhance the value of your home and add beauty to everyday living.

BHIDoors Commitment



BHI Doors continues our commitment to service excellence as we bring enduring beauty and value to exterior doors throughout Florida. - established in 1954.










THE BHI SYSTEM



protection our systems use DLP

An unique line of doorglass inserts styled

for Florida living. Traditional sandblasting

is used to etch clear glass with a variety of

Advanced manufacturing techniques,

options. Affordable, stylish, and avail-

modern designs, and pre-finished

thresholds and astragals.

ETCHED GLASS

nature and obscure designs.

Novatech¹

STEEL DOORS

able in many colors.



Add beauty to and increase the value of your home with ODL's innovative line of doorglass.



FIBERGLASS DOORS AND PF FRAMES^T

A lifetime of exceptional durability and performance for every door around your home.




CUSTOM GLASS

Custom glass for doors, sidelights, windows and transoms.



VENTILATING DOORS

Let in the breeze without compromising security with an optional window insert in your door (with a security screen).



TRILENNIUM

MULTI-POINT LOCKS

The ultimate fiberalass door security

system. Multiple latches and bolts

RESIDENTIAL LOCKSETS

Superior functionality, easy installation, and secure performance.

BHIHinges

Specially designed for highperformance and tested for long lasting endurance.

BHI Weather-seals

Keep cool air in and keep bugs out while benefiting from improved energy efficiency.



OVERLAY ART LAMINATE

Endless changeable options of patent pending premium overlay art glass laminate.

Every component in the BHI System is backed by the manufacturer's warranty. For specific warranty information please see our resources page at BHIFlorida.com.





All products featured are in stock ready to be built unless marked special order.

Unless otherwise noted, all products featured can be built into door systems that are compliant with hurricane structural, hurricane impact and the latest energy codes.















p. 58-70



SELECTION OVERVIEW p.4-11

HURRICANE CODE COMPLIANCE p.4-5

ENERGY & LABEL COMPLIANCE p. 6-7

STANDARD FEATURES p.8-9

OPTIONAL

FEATURES p.10-11

SPECIFICATIONS

Unit Sizing p. 96-99

PRODUCT APPROVALS

p. 100-103

GLASS SIZE OPTIONS AND PRODUCT PRICE GROUPS p. 104-107

STYLIZER

Inside Back Cover

SUPPORT

Dealer Locator, Door Finishing Guides and Warranty Information

buildershardwareflorida.com

CUSTOM GLASS p. 12-15 & TRANSOMS p. 96

DECORATIVE

p. 16-46

p. 23-27

p. 28-30

p. 31

Decorative Glass p. 18-19

Options Overview

Destination p. 20-22

Waterside Crosswalk Park Place

Perspectives Privacy Glass

Chinchilla

Blanca Linen

Streamed Micro-Granite

Old World

70110

Paris Jacinto Camden

Eclectic

Mohave

NEW! Mistify

Contemporary

NEW! Salix

Renewed Impressions

Uptown Entropy

Craftsman p. 37

p. 32-36

p. 38-46

p. 47-52

Topaz

Classic

NEW! Piña

Gemini Bristol

Memoria Expressions

Cadence Grace Heirlooms

Majestic

ETCHED GLASS

Nature Series Privacy Glass

OVERLAY ART p. 53-57 LAMINATE

Texured Series
Nature Glass

DOORS AROUND
THE HOME

Light-Touch Enclosed Blinds

Nova 90 Direct Glazed (and SDL bars)

Turtle Glass

One Lights (and SDL bars) Simulated Divided Lights

Grilles Between Glass

Prairie Style

WINDSERT VENTING p. 71-73 LIGHT DOORS

SOLID PANEL DOORS

Modern & Shaker Rustic

Woodgrain

Smooth Steel Doors

COMPONENTS & HARDWARE Door Frames

p. 74-86

DWARE p. 87-95

Brickmold/Trim T-Astragals Thresholds

Weatherstripping Hinges

Locksets

High Security Locksets

SELECTION OVERVIEW HURRICANE COMPLIANCE

Doors made to withstand high pressure

OIMPACT

FOR IMPACT DOOR OFFERINGS SEE PAGES 16-86



HVHZ STRUCTURAL

* & IMPACT RATED



Florida Wind-Borne
Debris (WBD) STRUCTURAL
& IMPACT RATED



- HVHZ STOCK HVHZ SPECIAL ORDER
- WBD STOCK WBD SPECIAL ORDER






See impact testing video.

BHI quotes and order acknowledgments list the product approvals needed for each pre-hung door system. For additional code approvals and specific design pressure ratings, please see pages 168-171.

Some doors are approved for HVHZ for in-swing application but may have overhang requirements. Some systems with very high design pressure ratings may require surface bolts, and/or dead bolt security strikes.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.



Impact units have structural ratings and may be used in the HVHZ and/or WBD impact zones without shutters required.

SELECTION OVERVIEW ENERGY COMPLIANCE



ENERGY COMPLIANCE

BHI and our suppliers of major fenestration components have made it a joint effort to focus on compliance with the Florida Building Code - 5th Edition Energy Conservation.

Groups of products that meet the minimum energy standards for both solar heat gain coefficient (SHGC) and U-Factor in both climate zones will display this logo at the top of the page.

Individual products that DO NOT meet the minimum Energy standards will display this logo.




ENERGY CODE EXEMPTIONS

There are also exemptions for products that DO NOT meet the energy standards.

The Prescriptive method of compliance allows one glazed fenestration per dwelling unit of up to 15 square feet "of glazed fenestration" to be exempt from the U–factor and SHGC requirements R402.1.(1), and also one side hinged opaque door assembly up to 24 square feet to be exempt from U–factors (Section R402.1.(.3 & .4)). If using this exemption, doors bearing this mark may be used as single door units. Other exemptions for doors bearing this mark may be used when using whole house energy engineering compliance method.

Florida Energy Efficiency Requirements





BHI and its suppliers of major components are Energy Star Partners. Energy Star Certified products are available upon request.



SELECTION OVERVIEW DOOR LABELING

ENERGY LABELING

Labels will reference specific numbers listed in the certified products directory (CPD) of the National Fenestration Rating Council (NFRC). The CPD numbers shown are also listed with BHI's third-party quality assurance provider, National Accreditation Management Institute (NAMI) for thermal quality assurance compliance.

BHI doors that meet the Energy Standards will have at least 2 Energy Performance labels.

- One permanent label attached to the hinge side of the door slab.
- One temporary label which will be attached to the face of the door.



STRUCTURAL CERTIFICATION LABELING

Builders Hardware inc.
Plastpro/Nanya Plastic FL# 15210.4
MANUFACTURER STIPULATES CONFORMANCE TO:
TAS 201,202,203 - ASTM E48 NOA 17-0712.05/16-0314.11
DP RATING +75-75 PSF 1/8", 1/2", 1" GLAZED UNIT IN/OUT
MAX TEST SIZE 3/0 X 6/8 X
FL CERT # 1773 ANSI # 0651

Some door unit sizes and configurations may require specific design pressure ratings. For these units, labels will be applied with specific stipulations that conform to varying codes within the State.

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

SELECTION OVERVIEW STANDARD FEATURES

ALL SMOOTH SKIN DOOR SYSTEMS INCLUDE:

- White fiberglass doors
- Smooth white 4 9/16" composite door frames
- White powder coat aluminum T-astragal (Double Doors)
- White weather-strip
- Inswing or outswing threshold mill finish
- Stainless steel security hinges

RESIDENTIAL 25 YEAR LIMITED WARRANTY



White weather-strip
Smooth white composite door frames



Stainless steel security hinges



Inswing or outswing threshold mill finish



White fiberglass doors



White powder coat aluminum T-astragal (Double Doors)

ALL WOODGRAIN TEXTURED DOOR SYSTEMS INCLUDE:

SELECTION OVERVIEW STANDARD FEATURES



Textured fiberglass doors

- Textured fiberglass doors
- Textured 4 9/16" composite door frames
- Stainable aluminum T-astragal (Double Doors)
 - Bronze weather-strip
 - Inswing or outswing threshold mill finish
 - Stainless steel security hinges

RESIDENTIAL LIMITED LIFETIME WARRANTY



Stainable aluminum T-astragal (Double Doors)



Bronze weather-strip
Textured composite door frames



Inswing or outswing threshold mill finish



Stainless steel security hinges

SELECTION OVERVIEW OPTIONAL FEATURES

SELECTION OVERVIEW OPTIONAL FEATURES

For selecting all component and hardware options see pages 155-163.

FIBERGLASS DOOR SKINS



SMOOTH (DRS)



WOODGRAIN TEXTURED (DRG)



RUSTIC (DRA)



FIR GRAIN (DRF)



All smooth doors sold unfinished and can be painted or faux finished.



All woodgrain, rustic and fir grain doors sold unfinished and can be stained or painted.

GLASS DOORS



EXISTING DECORATIVE DESIGNS



OVERLAY ART LAMINATE



VENTILATING DOORS




AROUND THE HOME

CUSTOM GLASS



SIZES



COLORS



DESIGNS



ETCHED

COMPOSITE DOOR FRAMES & MOLDINGS



Smooth or Woodgrain textured brickmold



Smooth frame



Woodgrain textured frame

THRESHOLDS



INSWING OR OUTSWING HANDICAP



INSWING



OUTSWING



OUTSWING HVHZ












HIGH SECURITY MULTI-POINT STSTEM



EXTERIOR DOOR SECURITY HINGES















High Velocity
Hurricane Zone &
Wind-Borne Debris

DOORGLASS
SIDELIGHTS
TRANSOMS
WINDOWS

CUSTOM SIZES



CUSTOM COLORS



CUSTOM DESIGNS



CUSTOM DESIGNS




CUSTOM DESIGNS TRANSOM GLASS WINDOW GLASS **DOOR GLASS** SIDELIGHT GLASS Decorative custom glass is our specialty.

Kenyon's Glass prides itself on being one of the leading manufacturers of custom decorative glass for the building industry. They provide design expertise and production of custom decorative panels for doors, sidelights, transoms, windows and other unique installations.





CREATE YOUR OWN



CUSTOMIZE EXISTING DESIGN



BUILD COMPLEMENTARY DESIGNS

Camed Designs

CUSTOM DESIGNS

Caming is the thin metal work that joins together the door glass elements. Camed units are available as custom one-of-a-kind or complementary of any designs.

CAMING OPTIONS



Zinc

Polished



Black Patina



Brass

Bronze Waterglass

Cinnamon on Clear

Grape Antique

Antique Patina



Black Matte Patina



INTERIOR GLASS PANE OPTIONS

Oil Rubbed Bronze





The backer glass is the full glass pane that faces the inside of the home.




Pale Gray Waterglass

Midnight Blue

Clear Krinkle

White & Medium Amber Steel Blue Waterglass



Pale Blue Waterglass

Pale Amber Vecchio

Ruby Red Waterglass



Chinchilla



Clear Glass



Red & White Translucent



Yellow Rough Rolled Clear Vecchio



Dark Blue Waterglass



For additional glass color and textured options see our Kenyon's Custom Glass Catalog at BHIFlorida.com For specifications, sizing limits and framing materials see page 96-99.

Medium Green Waterglass Scottish Heather Lilac





Product approval matrix, please see pages 100-103.

Code Compliance Guide, see pages 4-7.

686RLI • 694RLI



Hurricane Zone & Wind-Borne Debris

> DESTINATION PERSPECTIVES OLD WORLD **ECLECTIC** CONTEMPORARY CRAFTSMAN CLASSIC

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers





High Velocity DECORATIVE High Velocity DECORATIVE









ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN DRF = FIR GRAIN TEXTURED SKIN

Decorative Doorglass Overview

Decorative Doorglass Overview

DESTINATION











PERSPECTIVES



OLD WORLD



Jacinto













CONTEMPORARY









CRAFTSMAN CLASSIC











CLASSIC















DESTINATION Waterside



Black Chrome Caming

Natural, free-flowing movement extends the length of Waterside and brings to mind a flowing river or grasses swaying in the breeze.

Glass Textures; Clear softwave Glass Streamed Glass

Privacy Rating 9



TRANSOMS PAGES 12-15 AND 96-98.

6/8 DOORS



MEETS ENERGY STANDARDS

SLG00 694CWK



Nickel Caming



Glass Textures; Micro-Iced Granite Glass Gray Softwave Glass Clear Softwave Glass

Privacy Rating 9







DRG49 607WTS



DRG0080 612WTS SLG0080 493WTS

TRANSOMS PAGES 12-15 AND 96-98



DRS00 624CWK DRS49 607CWK DRS40 684CWK



8/0 DOORS -

DRG0080 612CWK SLG0080 493CWK

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS00 686WTS • SLS00 694WTS	• •	• •				• •	• •	• •
6/8 DOORS	DRG40 684WTS						• •	• •	• •
	DRG49 607WTS						•		• •
8/0 DOORS	DRG0080 612WTS • SLG0080 493WTS	• •	• •				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

HVHZ WBD	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRG00 686CWK • SLG00 694CWK	• •	• •				• •	• •	• •
	DRG00 687CWK					• •			
6/8 DOORS	DRS00 624CWK			• •	•				
	DRS49 607CWK						0		00
	DRS40 684CWK						• •	• •	• •
8/0 DOORS	DRG0080 612CWK • SLG0080 493CWK	00	00				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER



Park Place



Nickel Caming

Glass Textures; Micro Granite Glass Clear Bevel Glass Clear Ripple Glass Narrow Reed Glass Double Granite Glass

Privacy Rating 9

Park Place glass units are handed. A=lefthand from outside view. B=righthand from outside view.



PERSPECTIVES TEXTURED DOORGLASS Chinchilla

> As touchable as its namesake, Chinchilla's fine lines and organic fur-like texture create a striking wave pattern when seen from afar. It offers a high level of privacy to your home.

> > Privacy Rating 9

Glass texture can be felt on the inside pane.

6/8 DOORS



686PPZNCA

686PPZNCB

8/0 DOORS -



DRG0080 612PPZNCA

DRG0080 612PPZNCB

6/8 DOORS


DRG00 686CHA SLG00 694CHA



DRG40 684CHA



DRG29 607CHA



DRG0080 612CHA SLG0080 493CHA

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//0 DOODS	DRG00 686PPZNCA						• •	• •	• •
6/8 DOORS	DRG00 686PPZNCB						• •	• •	• •
0/0 00005	DRG0080 612PPZNCA						• •	• •	• •
8/0 DOORS	DRG0080 612PPZNCB						• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRG00 686CHA • SLG00 694CHA	00	00				• •	• •	• •
6/8 DOORS	DRG40 684CHA						• •	• •	• •
	DRG29 607CHA						0		0 0
8/0 DOORS	DRG0080 612CHA • SLG0080 493CHA	• •	• •				• •	• •	• •

Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE



PERSPECTIVES.

TEXTURED DOORGLASS

Blanca

LOW-E

Offering a high level of privacy and an understated backdrop, Blanca has a frosted, slightly stippled surface.

Privacy Rating 9



DRG00 686/687BLC SLG00 694BLC (687 FOR 2/6 DOORS)



DRG00 624BLC





PERSPECTIVES TEXTURED DOORGLASS

Linen

LOW-E

Reminiscent of a soft linen shirt or an elegantly embroidered linen tablecloth, Linen's lightly etched glass and woven pattern complement casual or formal entryway designs. The translucent white glass and soft moiré of Linen's silkscreened threads give it a high privacy level.

Privacy Rating 9

6/8 DOORS



DRG6C 814BLC **NOT HVHZ**



DRS40 651BLC



DRG49 607BLC





DRG40 684BLC/672BLC (672 FOR 2/6 DOORS)



DRS3F 876BLC **NOT HVHZ**



8/0 DOORS -


DRS0080 612/496BLC SLS0080 DRS0080 493BLC (496 FOR 2/6 DOORS)

6/8 DOORS

DRG00 686LNN SLG00 694LNN



DRG40 684LNN



DRG49 607LNN



DRG0080 612LNN SLG0080 493LNN

HVHZ WED	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRG00 686/687BLC • SLG00 694BLC	• •	• •			• •	• •	• •	• •
	DRG00 624BLC			• •	•				
	DRG6C 814BLC								•
6/8 DOORS	DRS40 651BLC						• •	• •	• •
	DRG49 607BLC						•		• •
	DRG40 684BLC/672BLC					• •	• •	• •	• •
	DRS3F 876BLC						•		•
0/0 00005	DRS0080 612/496BLC / SLS0080 493BLC	• •	• •			• •	• •	• •	• •
8/0 DOORS	DRS0080 487BLC			•	•				

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRG00 686LNN • SLG00 694LNN	• •	• •				• •	• •	• •
6/8 DOORS	DRG40 684LNN						00	00	0 0
	DRG49 607LNN						0		0 0
8/0 DOORS	DRG0080 612I NN • SI G0080 493I NN	00	00				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE



PERSPECTIVES **TEXTURED DOORGLASS**

Micro-Granite

Micro-Granite blends texture and pattern polished pebbles with a high level of privacy.

to create a surface reminiscent of small

Privacy Rating 9

Glass texture can be felt on the inside pane.




LOW-E

The pronounced vertical pattern and strong ribbed texture of Streamed creates the illusion of falling water in your entryway, and offers a high level of privacy.

Privacy Rating 9

Glass texture can be felt on the inside pane.



DRG00 DRG00 686/687STM SLG00 694STM (687 FOR 2/6 DOORS) 624STM

8/0 DOORS







DRS0080 612/496STM SLS0080 493STM (496 FOR 2/6 DOORS)



6/8 DOORS

8/0 DOORS

DRS00 624MG DRS00 686MG SLS00 694MG

6/8 DOORS



DRS40 684MG

DRF3F 876MG (FIR GRAIN)

NOT HVHZ

8/0 DOORS —

DRG0080 612MG SLG0080 493MG

T	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS00 624MG			• •	•				
	DRS00 686MG • SLS00 694MG	• •	• •				• •	• •	• •
	DRS40 684MG						• •	• •	• •
	DRG6C 814MG								0
	DRF3F 876MG (FIR GRAIN)						0		0
	DRG0080 612MG • SLG0080 493MG	0 0	0 0				• •	• •	• •

814MG **NOT HVHZ**

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



6/8 DOORS

NOT HVHZ







684STM/672STM



876STM (FIR GRAIN)



DRS0080 487STM (487 FOR 2/0 & 2/4 DOORS)

	NOT HVH.										
IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0		
	DRG00 624STM			• •	•						
	DRG00 686/687STM • SLG00 694STM	• •	• •			• •	• •	• •	• •		
	DRG6C 814STM								•		
6/8 DOORS	DRG49 607STM						•		• •		
	DRS40 651STM						• •	• •	• •		
	DRS40 684STM/672STM					• •	• •	• •	• •		
	DRF3F 876STM (FIR GRAIN)						•		•		
0/0 00000	DRS0080 612/496STM • SLS0080 493STM	• •	• •			• •	• •	• •	• •		
8/0 DOORS	DRS0080 487STM			0	0						

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER







DRF3F 876PS (FIR GRAIN) NOT HVHZ



DRS00 686PS SLS00 694PS

8/0 DOORS ·



DRG4180 607PS NOT HVHZ



DRS2980 686PS

6/8 DOORS -



DRG49 607JA



DRS00 686JA SLS00 694JA





DRS0080 612JA SLS0080 493JA



DRS2980 686JA

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//0 DOODS	DRF3F 876PS (FIR GRAIN)						0		0
6/8 DOORS	DRS00 686PS • SLS00 694PS	• •	• •				• •	•	•
0/0 00000	DRG4180 607PS						0		0
8/0 DOORS	DRS2980 686PS						•		• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



DOES NOT MEET MINIMUM FLORIDA ENERGY STANDARD (SEE PAGES 8 & 9).

			,						
HVHZ WED	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//0 DOODS	DRG49 607JA						•		• •
6/8 DOORS	DRS00 686JA • SLS00 694JA	• •	• •				• •	• •	• •
0/0 00005	DRS0080 612JA • SLS0080 493JA	•	•				• •	• •	• •
8/0 DOORS	DRS2980 686JA						•		• •

All door sizes shown can be built as double door systems. Some stock doors are textured, smooth, or both.

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DECORATIVE



OLD WORLD STYLE Camden

WROUGHT IRON

Glass Textures; Tafeta Glass

Privacy Rating 9

Camden glass units are handed. A=lefthand from outside view. B=righthand from outside view.





ECLECTIC STYLE Mohave

Oil-Rubbed Bronze Caming

Glass Textures: Micro-Iced Granite Glass Streamed Glass Small Hammered Glass Gray Soft Wave Glass Bronze Seedy Glass Pale Amber Soft Wave Glass Clear Bevels

Privacy Rating 7

6/8 DOORS



DRG00 686CAMWIA

DRG00 686CAMWIB

8/0 DOORS



DRS0080 612CAMWIA



DRS0080 612CAMWIB

6/8 DOORS



DRS40 684MOH



DRS00 687MOH (687 FOR 2/6 DOORS)



DRS00 686MOH SLS00 694MOH



DRG49 607MOH



8/0 DOORS

DRS0080 612MOH SLS0080 493MOH

DRS2980 686MOH

DOES NOT MEET MINIMUM FLORIDA ENERGY STANDARD (SEE PAGES 8 & 9).

HVHZ WED	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
/ /0 DOODS	DRG00 686CAMWIA						• •	• •	• •
6/8 DOORS	DRG00 686CAMWIB						• •	•	• •
0/0 DOODS	DRS0080 612CAMWIA						• •	• •	• •
8/0 DOORS	DRS0080 612CAMWIB						• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

ALL IMPACT rated doors are also available NON-IMPACT.

			ALL II	VIPACT	ated doo	irs are als	o avallal	ole IVOIV	-IIVIPAC I
HVHZ WED	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS40 684MOH						• •	• •	• •
//0.50056	DRS00 687MOH					• •			
6/8 DOORS	DRS00 686MOH • SLS00 694MOH	• •	• •				• •	• •	• •
	DRG49 607MOH						0		0 0
0/0 00005	DRS0080 612MOH • SLS0080 493MOH	0 0	0 0				• •	• •	• •
8/0 DOORS	DRS2980 686 MOH						•		• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

BHI DOORS EXTERIOR DOOR SYSTEMS 33



CONTEMPORARY STYLE

Mistify

Mistify is a playful combination of pattern and texture. The black drizzle pattern is fused to softly textured glass, resulting in a mesmerizing statement piece for any modern entryway. This contemporary doorglass design can be special ordered

with black grilles between glass.

Privacy Rating 6



CONTEMPORARY STYLE

IMPACT DECORATIVE

Salix

We combined contemporary lines with organic shapes, paired with accents of color to create a multi-dimensional design that is timeless yet on trend.

Privacy Rating 9





DRS00 687MYB

DRG00 686MYB

SLG00 694MYB








DRS2B 684MYB

8/0 DOORS -



DRS0080 612MYB SLS0080 493MYB

8/0 DOORS -



DRS0080 612SLX SLS0080 493SLX

2/6

2/8

2/10

3/0

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS00 687MYB					0 0			
6/8 DOORS	DRG00 686MYB • SLG00 694MYB	• •	• •				• •	• •	• •
	DRS2B 684MYB						0		0 0
8/0 DOORS	DRS0080 612MYB • SLS0080 493MYB	0	0 0				• •	• •	• •

DRG00 686SLX • SLG00 694SLX • • • • • • 6/8 DOORS DRS49 607SLX DRS0080 612SLX • SLS0080 493SLX 8/0 DOORS 00 00 • •

6/8 DOORS

DRG00 686SLX

SLG00 694SLX

PART NUMBER

12"

DRS49 607SLX

14"

CONTEMPORARY STYLE

Renewed Impressions



Nickel Caming

The sweeping floral patterns of our signature Impressions decorative glass are elegantly refreshed with nickel caming to create Renewed Impressions. The Contemporary design's textured surface offers a high privacy level.

Glass Textures; Clear Bevels Iced Granite Glass Streamed Glass Clear Renaissance Glass

Privacy Rating 7



CONTEMPORARY STYLE

Uptown

Oil-Rubbed Bronze Caming

3/8" Round Caming

Glass Textures; Thin Reed Glass Clear Ice Crystals

Privacy Rating 9

Uptown glass units are handed. A=lefthand from outside view. B=righthand from outside view.

6/8 DOORS







DRG00 686RLI SLG00 694RLI



DRG00 687RLI (687 FOR 2/6 DOORS)



DRG0080 612RLI SLG0080 493RLI

6/8 DOORS -



DRG00 686UPTORBA

DRG00 686UPTORBB

8/0 DOORS




DRG0080 612UPTORBA

DRG0080 612UPTORBB

HVHZ WED IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS40 684RLI						• •	• •	• •
6/8 DOORS	DRG00 686RLI • SLG00 694RLI	• •	• •				• •	• •	• •
	DRG00 687RLI					• •			
8/0 DOORS	DRG0080 612RLI • SLG0080 493RLI	• •	• •				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

HVHZ WED IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
/ /0 DOODS	DRG00 • 686UPTORBA						• •	• •	• •
6/8 DOORS	DRG00 • 686UPTORBB						• •	• •	• •
0/0.0000	DRG0080 • 612UPTORBA						• •	• •	•
8/0 DOORS	DRG0080 • 612LIPTORBR							• •	



Privacy Rating 5


Clear Renaissance Clear Seedy Granite

Entropy glass units are handed. A=lefthand from outside view. B=righthand from outside view.

Clear Bevels

Privacy Rating 9






686ENTBCB

612ENTBCA

8/0 DOORS -



612ENTBCB

6/8 DOORS







DRS00 686TPZ SLS00 694TPZ

8/0 DOORS



DRS2980 686TPZ

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//0 DOODS	DRG00 • 686ENTBCA						• •	• •	• •
6/8 DOORS	DRG00 • 686ENTBCB						• •	• •	• •
0/0 DOODS	DRG0080 • 612ENTBCA						• •	• •	• •
8/0 DOORS	DRG0080 • 612ENTBCB						• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
/ /0 DOODS	DRF3F 876TPZ (FIR GRAIN)						•		•
6/8 DOORS	DRS00 686TPZ • SLS00 694TPZ	• •	• •				• •	• •	• •
8/0 DOORS	DRS2980 686TPZ						•		• •



Piña

Antique Brass Caming

Glass textures; Seedy Glass Micro-Granite Glass Small Hammered Glass Clear Bevels

Privacy Rating 7



Black Matte Patina Caming

Glass Textures; Clear Bevels Clear Vecchio Glass

Privacy Rating 8

Granite Glass

6/8 DOORS



DRS40 684PNA SLS60 692PA



SLS00 694PNA


8/0 DOORS



DRS2980 686PNA SLS3080 694PNA



DRS0080 612PNA SLS0080 493PNA



DRS00 686GMBMP

8/0 DOORS ·



DRS2980 686GMBMP




DR0080 612GMBMP

NON-IMPACT NON-IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS40 684PNA • SLS60 692PA	0 0	0 0				0 0	0 0	0 0
0/0 DOOK3	DRS00 686PNA • SLS00 694PNA	0 0	0 0				• •	• •	• •
8/0 DOORS	DRS2980 686PNA • SLS3080 694PNA	0 0	0 0				•		• •
0/U DOOKS	DRS0080 612PNA • SLS0080 493PNA	0 0	0 0				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686GMBMP						• •	•	• •
0/0 00000	DRS2980 686GMBMP						•		• •
8/0 DOORS	DRS0080 612GMBMP						• •	• •	• •







DRG00 686BTSN

8/0 DOORS



DRS2980 686BTSN DRG0080 612BTSN

6/8 DOORS



DRS40 684MMR



DRG00 686MMR SLG00 694MMR

8/0 DOORS



DRS0080 612MMR SLS0080 493MMR



CLASSIC STYLE

Memoria

Nickel Caming

cherished memories of family

bevel design is accented with

a textured surface and nickel caming. Memoria provides a medium level of privacy.

Clear Renaissance Glass

and home. Its centerpiece

Glass Textures;

Glue Chip Glass Clear Bevel Clusters

Privacy Rating 4


DRS0080 612MMR

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRG00 686BTSN						• •	• •	• •
0/0 DOODS	DRS2980 686BTSN						•		• •
8/0 DOORS	DRG0080 612BTSN						• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type.

Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//0 DOODS	DRS40 684MMR						• •	• •	• •
6/8 DOORS	DRG00 686MMR • SLG00 694MMR	• •	• •				• •	• •	• •
8/0 DOORS	DRS0080 612MMR • SLS0080 493MMR	0 0	0 0				• •	• •	• •



TRANSOMS PAGES 12-15 AND 96-98.







DRS40 651EX



DRS00 686EX SLS00 694EX



DRS0080 612EX SLS0080 493EX

6/8 DOORS



DRG49 607CD



DRS40 651CD



SLS00 694CD

Cadence

Patina Caming



Clear Bevel Cluster Ripple Glass Hammered Glass

Privacy Rating 5






8/0 DOORS -

DRS0080 612CD SLS0080 493CD

HVHZ WED IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
//n DOODS	DRS40 651EX						• •	• •	• •
6/8 DOORS	DRS00 686EX • SLS00 694EX	•	•				• •	• •	• •
8/0 DOORS	DRS0080 612EX • SLS0080 493EX	0 0	0 0				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRG49 607CD						•		•
6/8 DOORS	DRS40 651CD						• •	• •	•
	DRS00 686CD • SLS00 694CD	• •	• •				• •	• •	•
8/0 DOORS	DRS0080 612CD • SLS0080 493CD	• •	• •				• •	• •	• •







DRS00 686/687HM

SLS00 694HM



DRG49 607HM





8/0 DOORS -

CLASSIC STYLE

Glass Textures;

Glue Chip Glass

Privacy Rating 6

TRANSOMS PAGES 12-15 AND 96-98.

Granite Glass

Clear Cluster Bevels

Heirlooms

Satin Nickel Caming

DRS0080 612HM SLS0080 493HM

6/8 DOORS



DRS00 686GRC 694GRC

8/0 DOORS -



DRS0080 612GRC SLS0080 493GRC

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS00 686GRC • SLS00 694GRC	• •	• •				• •	•	• •
8/0 DOORS	DRS0080 612GRC • SLS0080 493GRC	• •	• •				• •	• •	• •

PART NUMBER 2/10 12" 14" 2/4 2/6 2/8 3/0 DRS00 686/687HM • SLS00 694HM • • 0 0 • • • • 6/8 DOORS DRG49 607HM • • DRS40 684HM • • 8/0 DOORS DRS0080 612HM • SLS0080 493HM • • • • • • • •

SPECIAL ORDER **46** BHI DOORS EXTERIOR DOOR SYSTEMS BHI DOORS EXTERIOR DOOR SYSTEMS 47

IMPACT DECORATIVE

MEETS ENERGY STANDARDS

CLASSIC STYLE Majestic



Nickel Caming

Glass Textures; Glue Chip Bevels Glue Chip Glass Gray Soft Wave Glass

Privacy Rating 5



Wind-Borne Debris

NATURE SERIES

CUSTOM ETCHINGS

CREATE YOUR OWN

High Velocity Hurricane Zone & IMPACT DECORATIVE ETCHED GLASS





ALL DOOR SYSTEMS ARE SOLD UNFINISHED

DRG = WOODGRAIN TEXTURED SKIN

DRS = SMOOTH SKIN



Severe Weather

this ALUMINUM frame.

All impact glass door offerings use

• Available in white powder coat

FLAT PROFILE

TRANSOMS PAGES 12-15 AND 96-98.

6/8 DOORS



DRS40 651ME








DRS40 684ME





8/0 DOORS



DRS0080 612ME SLS0080 493ME

PACT MED IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS40 651ME						• •	• •	• •
6/8 DOORS	DRS40 684ME						• •	• •	• •
	DRS00 686/687ME • SLS00 694ME	• •	• •			• •	• •	• •	• •
8/0 DOORS	DRS0080 612ME • SLS0080 493 ME	• •	• •				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER



Etched Glass

Through the artistry of Julian and Karin Mesa, BHI Doors offers a unique line of doorglass inserts styled for Florida living Enhance your door opening with a beautiful etched design. Etched glass displays traditional sandblasting.

Dark background shown in pictures represent clear glass.



Etched Glass All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert.

All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Dark background shown in pictures represent clear glass.

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH4F-STD PALM



DRG00 BH4F-REV PALM



DRG00 BH2F-STD TROPICAL



DRG00 BHIN6-STD PALM

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BH1F-STD LILIES



DRS00 BH1U-STD SEA LIFE



DRS00 BH4U-STD MARLIN

Privacy Glass

ANY SIZE door and doorglass can be made obscure by etching.

BEFORE



686 CLEAR

BHIO OBSCURE

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

MPACT IMPACT	PART NUMBER	2/6	2/8	2/10	3/0
	DRG00 BH4F-STD PALM	0 0	00	0 0	0 0
/ /0 AND 0 /0 DOODS	DRG00 BH4F-REV PALM	0 0	0	0 0	0
6/8 AND 8/0 DOORS	DRG00 BH2F-STD TROPICAL	0 0	0	0 0	0 0
	DRS00 BHIN6-STD PALM	0 0	0	0 0	0 0

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

HVHZ WBD	PART NUMBER	2/6	2/8	2/10	3/0
	DRG00 BH1F-STD LILIES	0	0	0 0	0 0
6/8 AND 8/0 DOORS	DRS00 BH1U-STD SEA LIFE	0	0	0 0	0 0
	DRS00 BH4U-STD MARLIN	0	0	0 0	0 0

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER



Etched Glass

An etched circle divided between double doors provides an elegant focal point.

The double panels can be mirror images or feature a scene or pattern which continues between them.

Dark background shown in pictures represent clear glass.

Custom Designs: You imagine it we create it!



Etched Glass

All designs are etched on Low-E glass.

Designs are sandblasted on the interior side of a doorglass insert.

All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Dark background shown in pictures represent clear glass.

Memorial, landscape, portrait and pet designs.

Custom Designs: You imagine it we create it!

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRG00 BHIC3A-STD HERON



DRG00 BHIC3B-STD HERON



DRG00 BHIC4A-STD DOLPHIN



BHIC4B-STD DOLPHIN



DRG00 BHIC6A-STD HERON



DRG00 BHIC6B-STD HERON

NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS



DRS00 BHIM1-STD **PALMS**



BHIM1-RFV



DRS00 BHIM2-STD **PALMS**

PART NUMBER

BHIM2-REV

PALMS



DRS00 BHIM4-STD PALMS



FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

2/8

DRS00 BHIM4-RFV **PALMS**



DRG00 BH3F-STD ВАМВОО

2/10

FULL LIGHT REQUIRES LOW-E TO MEET MINIMUM ENERGY STANDARDS.

IMPACT IMPACT	PART NUMBER	2/6	2/8	2/10	3/0
	DRG00 BHIC3A-STD HERON		0	0 0	0 0
	DRG00 BHIC3B-STD HERON		0	0 0	0 0
/ /0 AND 0 /0 DOODS	DRG00 BHIC4A-STD DOLPHIN		0	0 0	0 0
6/8 AND 8/0 DOORS	DRG00 BHIC4B-STD DOLPHIN		0 0	0 0	0 0
	DRG00 BHIC6A-STD HERON		0 0	0 0	0 0
	DRG00 BHIC6B-STD HERON		0 0	0 0	00

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

6/8 AND 8/0 DOORS DRS00 BHIM2-REV PALMS

DRS00 BHIM1-STD PALMS 0 0 00 0 0 0 0 DRS00 BHIM1-REV PALMS 00 00 00 00 DRS00 BHIM2-STD PALMS 0 0 00 00 0 0 00 00 0 0 0 0 DRS00 BHIM4-STD PALMS 00 0 0 0 0 00 DRS00 BHIM4-REV PALMS 00 00 00 00 DRG00 BH3F-STD BAMBOO 00 00 0 0 00

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

IMPACT DECORATIVE ETCHED GLASS

MEETS ENERGY STANDARDS

Etched Glass

- All designs are etched on Low-E glass.
- All image views are from the OUTSIDE, looking in. All images are standard (STD) view unless specified as reverse (REV).

Dark background shown in pictures represent clear glass.



NATURE SERIES 6/8 AND 8/0 DOORS

ETCHED GLASS DESIGNS -



DRG00 BHBJC-STD JUMPING CRANES (SIMULATED IMAGE PLEASE REQUEST DRAWING)



DRG00 BH4B-STD PELICAN



DRS00 BH2BA-STD HERON IN



BH2BB-STD HERON IN THE CYPRESS



	FULL LIGHT REQUIRES LOW-	E TO MEET	MINIMUM	ENERGY ST	ANDARDS.
IMPACT IMPACT	PART NUMBER	2/6	2/8	2/10	3/0
	DRG00 BHBJC-STD JUMPING CRANES	0 0	0	0 0	0 0
4 /0 AND 0 /0 DOODS	DRG00 BH4B-STD PELICAN	0 0	0	0 0	0 0
6/8 AND 8/0 DOORS	DRS00 BH2BA-STD HERON IN THE CYPRESS	0 0	0	00	0 0
	DRS00 BH2BB-STD HERON IN THE CYPRESS	0	0	0 0	0 0

O HVHZ SPECIAL ORDER O WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



TEXTURED SERIES NATURE SERIES

Vetrilite is a patent pending premium overlay art glass laminate that is applied over one light Low-E glass.

Overlay laminates are very durable – scratch and UV resistant, but can be removed for decor change.

Custom designs:

- Non-trademarked logos
- Street addresses
- Numbers and names
- Modification of existing designs
- Create your own design from a photo or drawing



FLAT PROFILE FRAME (IMPACT GLASS)







DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN



OVERLAY ART GLASS SYSTEM

Overlay Art Glass

The look of luxurious decorative doorglass using premium overlay glass laminate.



Custom Designs Available TRANSOMS PAGES 96-98.

MEETS ENERGY STANDARDS





MEETS ENERGY STANDARDS

OVERLAY ART GLASS SYSTEM



Overlay Art Glass

Privacy level 8 Energy efficient Low E doorglass Scratch and UV resistant, but can be removed for decor change Custom designs and logos

Transoms

Five year warranty on overlay

Overlays can also be special ordered with designs that have clear (CL) backgrounds.

> Overlay Art Glass units are handed. A=lefthand from outside view. B=righthand from outside view.

TEXTURED SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



GLAMOROUS DUPLICITY MONOCHROME (CLEAR AND OBSCURE)



TSAB100A ABOVE THE RIVER MONOCHROME



TSCP100 STREAMLINES MONOCHROME



DIFFERENT PATHS MONOCHROME



TSTA100A TSTA100 SEA OF LIFE MONOCHROME



TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT

TEXTURED SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



TSC400 HEARTS & DIAMONDS MONOCHROME



TS1500A HORIZONTAL



TS1600A **VERTICAL** COLOR



TS800A WAVES MONOCHROME



TS1100A FLOWING WAVELETS MONOCHROME MONOCHROME

WAVES

HALFLIGHT



TEXTURED WAVES MONOCHROME

MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	TSCP700A GLAMOROUS DUPLICITY MONOCHROME					0	0	0 0	0 0
	TSCP700B GLAMOROUS DUPLICITY MONOCHROME					0	0	0 0	0 0
	TSAB100A ABOVE THE RIVER MONOCHROME					0	0	0 0	0 0
/ /0 AND 0/0 DOODS	TSCP100 STREAMLINES MONOCHROME					0	•	• •	• •
6/8 AND 8/0 DOORS	TSCP200A DIFFERENT PATHS MONOCHROME						0	0 0	0 0
	TSTA100A SEA OF LIFE MONOCHROME			0	0	•	• •	• •	• •
	TSTA100 SEA OF LIFE MONOCHROME SIDELIGHT	0	0 0						
	TSTA100A SEA OF LIFE MONOCHROME HALFLIGHT						• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 12" 14" 2/0 2/4 2/6 2/8 2/10 3/0 TSC400 HEARTS & DIAMONDS MONOCHROME • • TS1500A HORIZONTAL COLOR 0 0 TS1600A VERTICAL COLOR 00 0 0 6/8 AND 8/0 DOORS TS800A WAVES MONOCHROME TS800A WAVES MONOCHROME HALFLIGHT • • TS1100A FLOWING WAVELETS MONOCHROME 00 0 0 0 0 TS2000 TEXTURED WAVES MONOCHROME

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

OVERLAY ART GLASS SYSTEM

Overlay Art Glass

The look of luxurious decorative

doorglass using premium overlay glass laminate.

Privacy level 8

Many Art Glass designs are handed. A=lefthand from outside view. B=righthand from outside view.

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

OVERLAY ART GLASS SYSTEM



Overlay Art Glass

NATURE SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



NS400A SEA GRASS MONOCHROME

NS1600A

NS1600B

LEAVES

MONOCHROME



NS700 NS700A NS700B HERON MONOCHROME



NS100A NS100B **FOLIAGE** MONOCHROME



NS200A BAMBOO MONOCHROME



NATURE SERIES 6/8 AND 8/0 DOORS

OVERLAY ART GLASS DESIGNS



NS500A BIRDS OF PARADISE COLOR




NS500A BIRDS OF PARADISE MONOCHROME



NS600A PALM TREE COLOR



NS600 NS600A NS600B NS600 PALM TREE MONOCHROME







NS1700A HERON 3 MONOCHROME



NS300A PELICAN COLOR



SAILFISH MONOCHROME



SAILFISH COLOR

HVHZ WBD	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	NS400A SEA GRASS MONOCHROME					• •	• •	• •	• •
	NS700A HERON MONOCHROME					• •	• •	• •	• •
	NS700B HERON MONOCHROME					• •	• •	• •	• •
	NS700 HERON MONOCHROME SIDELIGHT	• •	• •						
	NS100A FOLIAGE MONOCHROME					• •	• •	• •	• •
	NS100B FOLIAGE MONOCHROME					• •	• •	• •	• •
/ /0 AND 0/0 DOODS	NS200A BAMBOO MONOCHROME			0	0	• •	• •	• •	• •
6/8 AND 8/0 DOORS	NS200A BAMBOO MONOCHROME HALFLIGHT						• •	• •	• •
	NS1600A LEAVES MONOCHROME					0 0	0 0	0	0 0
	NS1600B LEAVES MONOCHROME					0 0	0 0	0 0	0 0
	NS1700A HERON 3 MONOCHROME					• •	• •	• •	• •
	NS300A PELICAN COLOR					• •	• •	• •	• •
	NS1800A SAILFISH MONOCHROME					• •	• •	• •	• •
	NS1800A SAILFISH COLOR					0 0	0 0	0	0 0





High Velocity Hurricane Zone & Wind-Borne Debris

ENCLOSED BLINDS NOVA 90 ONE LIGHTS (LOW-E, CLEAR, AND TURTLE) SIMULATED DIVIDED LIGHTS **GRILLES BETWEEN GLASS (GBG)** PRAIRIE (GBG)

Severe Weather

All impact glass door offerings use this ALUMINUM frame.

- Available in white powder coat
- Product comes with screw hole covers



FLAT PROFILE



IMPACT RATED DOORS AROUND THE HOME





ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN DRF = FIR GRAIN TEXTURED SKIN



IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT DOORS AROUND THE HOME



Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Adjustable Privacy Rating

C Low-E Glass



8 ft. Light-Touch® Enclosed Blinds

RAISE, LOWER & TILT

The single operator lets you raise, lower and tilt the blinds in an easy slight movement.

Adjustable Privacy Rating

Low-E Glass

Available in White (Stock) or Slate Gray (Special Order)

6/8 DOORS







DRS00 686RLB SLS00 690RLB



DRS00 687RLB (FOR 2/6 DOORS)



DRS00 624RLB (FOR 2/0 OR 2/4 DOORS) CLEAR GLASS ONLY

Full Glass Low-E Full Glass CLEAR

8/0 DOORS



DRS0080 612RLB



DRS0080 496RLB SLS0080 493RLB (496 FOR 2/6 DOORS)

12"



DRS0080 487RLB (FOR 2/0 & 2/4 DOORS) **NOT HVHZ CLEAR GLASS ONLY**

6/8 DOORS



To meet the minimum Energy Standards for full glass doors, Low-E is required.



• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.







PART NUMBER

DRS0080 487RLB



2/0



2/6

• •

2/8

• •

2/4



2/10

• •

3/0

• •

8/0 DOORS

DRS0080 612RLB DRS0080 496RLB SLS0080 493RLB • • • •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

14"



IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

INDICATES TURTLE CODE OPTION

IMPACT DOORS AROUND THE HOME





Nova 90



1-Lite Low-E 366 **Direct Glazed Impact Doors**



Full Length LVL Reinforcement (Hinge & Strike Side, For Extra Rigidity)

Insulated 1" Glass that offers 10% wider view

Compression Molded Fiberglass Skin

Integrally Molded Glass Stop

High Density Polyurethane Foam

Available Special Order: White Translucent and Blinds Between Glass

All door panels are sold unfinished. Nova 90 smooth skin is a white brushed texture.





SDL BARS

Nova 90 also

available with

many SDL bar

configurations





Nova 90 with translucent glass.

3 1/2"

8/0 DOORS





SDL BARS

6/8 DOORS







SDL BARS

IMPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
6/8 DOORS	DRS1SLIR SDL BARS Low-E 366					• •	• •	• •	• •
	DRS1SLIR Low-E 366			• •		• •	• •	• •	• •
6/8 DOORS	SLS1SLIR SIDELIGHT Low-E 366	• •	• •						
	DRS1STLIR Translucent Glass Low-E 366						•		•
	DRS1S80LIR Low-E 366			• •		• •	• •	• •	• •
8/0 DOORS	SLS1S80LIR SIDELIGHT Low-E 366	• •	• •						
	DRS1ST80LIR Translucent Glass Low-E 366						•		•

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

One Light Turtle Glass Thousands of marine turtles nest in U.S. coastal areas. State and local ordinances protect hatchling turtles by limiting the

brightness of inside-to-outside visible light transmittance.

Turtle Glass is Solar Gray - Solar Gray / SGSG





MPACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS40 684SGSG						• •	• •	• •
6/8 DOORS	DRS00 686SGSG • SLS00 694SGSG	• •	•				• •	•	• •
	DRS00 687SGSG					• •			
0/0 00005	DRS0080 496SGSG					• •			
8/0 DOORS	DRS0080 612SGSG • SLS0080 493SGSG	• •	• •				• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat glass.

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.



8 ft. One Light Doors

When you want a view and nothing but a view, clear glass is the answer.

All one-light doors have low-e hardcoat glass.

Also available by special order through our custom program, one light doors may be ordered in 366,340 & 272 low-e.

6/8 DOORS







DRS40 684/672 (672 FOR 2/6 DOORS)



DRG49 607






DRS00 624 (FOR 2/0 & 2/4 DOORS)



DRS00 686/687 • SLS00 694 (687 FOR 2/6 DOORS)



DRF3F 876 (FIR GRAIN) **NOT HVHZ**



• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

8/0 DOORS



DRS4180 607 **NOT HVHZ**



DRS3080 686 **NOT HVHZ**



DRS0080 612




(FOR 2/6 DOORS)



DRS0080 487 (FOR 2/0 & 2/4 DOORS)

SLS0080



• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER



Simulated Divided Lights

MI SERIES

One light ODL glass with Simulated Divided Lights.


- Available in 3 sizes: 1" 3 1/2" & 5"
- Smooth, paintable and made from recycled materials.
- Available in 6/8 and 8/0



The glass texture can be felt on the inside panes on the following designs: Chinchilla, Micro-Granite, Rain and Streamed.

Simulated Divided Lights


Available glass textures are all Low-E



Many SDL bar configurations available.



Blanca



Chinchilla



Micro-Granite

Rain

Streamed

6/8 DOORS









5-LIGHT



DRS00 SDL

6-LIGHT






DRS00 SDL 7-LIGHT

8/0 DOORS







3-LIGHT

DRS0080 SDL

4-LIGHT



DRS0080 SDL 5-LIGHT



6-LIGHT

DRS0080 SDL 7-LIGHT

PACT IMPACT	•

2-LIGHT

HZ WBD									
PACT IMPACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS00 SDL 2-LIGHT (SIDELIGHT 1-LIGHT)	• •	• •	• •	•	• •	• •	• •	• •
	SLS00 SDL 3-LIGHT	• •	• •						
6/8 DOORS	DRS00 SDL 4-LIGHT	• •	• •	• •	•	• •	• •	• •	• •
	DRS00 SDL 5-LIGHT	• •	• •	• •	•	• •	• •	• •	• •
	DRS00 SDL 6-LIGHT	• •	• •	• •	•	• •	• •	• •	• •
	DRS00 SDL 7-LIGHT	• •	• •	• •	•	• •	• •	•	• •

4-LIGHT

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

PART NUMBER 2/6 2/8 2/10 3/0 DRS0080 SDL 2-LIGHT (SIDELIGHT 1-LIGHT) • • • • SLS0080 SDL 3-LIGHT • • DRS0080 SDL 4-LIGHT 8/0 DOORS DRS0080 SDL 5-LIGHT • • • • DRS0080 SDL 6-LIGHT • • DRS0080 SDL 7-LIGHT • • • •

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS


IMPACT DOORS AROUND THE HOME



Grilles Between Glass

5/8" GRILLE BAR

Available in Clear or Low-E





8ft. Grilles Between Glass

5/8" GRILLE BAR

Available in Clear or Low-E

Available with Low-E Glass



6/8 DOORS



DRS00 686/687 15L SLS00 694 5L (687 FOR 2/6 DOORS)



DRS00 686/687 10L (687 FOR 2/6 DOORS)



DRS49 607 6L 316058



SLS00 624 10L (FOR 2/0 & 2/4 DOORS)

Full Glass Low-E Full Glass CLEAR



DRS40 684/672 9L (672 FOR 2/6 DOORS)



8/0 DOORS

DRS0080 496 18L (FOR 2/6 DOORS)

8/0 DOORS



DRS0080 612 18L SLS0080 493 6L



DRS0080 496 12L (FOR 2/6 DOORS)



612 12L



DRG0080 487 12L (FOR 2/0 & 2/4 DOORS) **NOT HVHZ**

HVHZ WBD

6/8 DOORS

To meet the minimum Energy Standards for full glass doors, Low-E is required.


PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS00 686/687 15L • SLS00 694 5L	• •	• •			• •	• •	• •	• •
DRS00 686/687 10L					• •	• •	• •	• •
DRS49 607 6L 316058						•		• •
SLS00 624 10L			• •	• •				
DRS40 684 / 672 9L					• •	• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.

To meet the minimum Energy Standards for full glass doors, Low-E is required.





ACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS0080 496 18L					0			
	DRS0080 612 18L • SLS0080 493 6L	• •	• •				• •	• •	• •
	DRS0080 496 12L					•			
	DRS0080 612 12L						0 0	0 0	0 0
	DRG0080 487 12L			0	0				

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

IMPACT DOORS AROUND THE HOME

MEETS ENERGY STANDARDS

Prairie Grilles Between Glass

5/8" GRILLE BAR Low-E Glass

Available with Low-E Glass

6/8 DOORS

DRS40 684PIM



8/0 DOORS



8/0 DOORS





DRS0080 612PIM



To meet the minimum Energy Standards for full glass doors, Low-E is required.







DRS0080 612PIM

• •

• •

Full Glass Low-E Full Glass CLEAR PART NUMBER 14" 2/0 2/4 2/6 2/10 DRS40 684PIM • • • • • • DRG49 607PIM • • 6/8 DOORS DRS00 687PIM DRS00 686PIM • SLS00 694PIM • •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types.



High Velocity Hurricane Zone & Wind-Borne Debris

> FRESH AIR **SECURITY**

HURRICANE PROTECTION



IMPACT RATED WINDSERT DOOR SYSTEM







ALL DOOR SYSTEMS ARE SOLD UNFINISHED DRS = SMOOTH SKIN DRG = WOODGRAIN TEXTURED SKIN

IMPACT WINDSERT DOOR SYSTEM

Ventilating Doors

This product by DLP Industries is an operational window insert/door combo. When the window is open, fresh air is introduced into the home, eliminating the need for a screen door.

- Perfect for beach side residential dwellings
- Excellent for condominium doors, patio doors, cabana bath doors, and side garage doors
- Replaces old jalousie style doors
- Comes with standard screen
- Manufactured in Florida
- Different glass options



X XO OX OXO XX XXXX

1/2 LIGHT 1/2 LIGHT 2 PANEL (2/10 & 3/0 ONLY) 3/4 LIGHT 1 OR 2 PANEL FULL LIGHT (2/10 & 3/0 ONLY)



Configurations 8/0 Doors

1/2 LIGHT 8/0 1/2 LIGHT 2 PANEL 8/0 (3/0 ONLY) FULL LIGHT 8/0 (3/0 ONLY)

Optional Impact Security Screen

- Offers insect control, and hurricane protection
- Premium grade High Tensile 304 Stainless Security mesh
- Impact Resistant
- Allows ventilation without compromising security
- Windsert security screen is available for all door sizes





Ventilating Doors



DRS00

1/2 LIGHT

6/8 DOORS









DRS0080 1/2 LIGHT



DRG4180 1/2 LIGHT

FULL LIGHT 2 PANEL (AVAILABLE WITH SECURITY SCREEN ONLY)

8/0 DOORS NOT SHOWN IN CHART SPECIAL ORDER ONLY



WINDSERT G	WINDSERT GLASS OPTIONS – IMPACT									
Representation only. Not actual colors. For actual samples, please contact your sales representative.										
Door Size	Unit Type		Low-E	Milky White	Clear	Obscure	Gray	Turtle		
2/0 & 2/4	WI1436	HALF-LIGHT	14 X 36	0 0	• •	• •	• •	0 0	0 0	
2/6	WI1836	HALF-LIGHT	HALF-LIGHT 18 X 36		• •	• •	• •	0	0 0	
2/8	2/8 WI2036 HALF-LIGHT 20 X 36		• •	• •	• •	• •	0 0	0 0		
2/10 & 3/0	2/10 & 3/0 WI2236 HALF-LIGHT 22 X 36		• •	• •	• •	• •	• •	0 0		

FULL LIGHT

Door Size	Glass Number	Unit Type	6/8 Height Glass Slze	Low-E	Milky White	Clear	Obscure	Gray	Turtle
2/0 & 2/4	WI1464	FULL-LIGHT	14 X 64	0 0	• •	•	• •	0	0 0
2/6	WI1864	FULL-LIGHT	18 X 64	• •	0 0	0 0	0 0	0 0	0 0
2/8	WI2064	FULL-LIGHT	20 X 64	• •	• •	• •	0 0	0 0	0 0
2/10 & 3/0	WI2264	FULL-LIGHT	22 X 64	• •	• •	• •	• •	0 0	0 0

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Bullet points indicate size and design availability, not skin type. Possible skin types include DRG woodgrain and DRS smooth skin. Most options are available in both skin types. Any non-stock glass options have a lead time.





High Velocity Hurricane Zone & Wind-Borne Debris

All wood grained doors are sold unfinished and natural color is tan. Can be painted or stained.

> All smooth doors are sold unfinished and natural color is white. Can be painted or faux finished.

THE MAKINGS OF A BETTER DOOR:

HYDROSHIELD™ TECHNOLOGY

Strength and protection against moisture infiltration

LAMINATED VENEERED LUMBER (LVL) Strength, durability and hardware reinforcement

10 GAUGE STEEL BEAM (NON-HVHZ ONLY) Prevents thermal bowing

HIGH DENSITY POLYURETHANE CORE Energy efficiency and noise reduction

FIBERGLASS REINFORCED SKIN High impact and dent resistant





IMPACT RATED SOLID PANEL FIBERGLASS









ALL DOOR SYSTEMS ARE SOLD UNFINISHED.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass Modern and Shaker Collection



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

LIMITED LIFETIME WARRANTY

_

EDPI60SS 316 60" 316 stainless steel round handle (IN STOCK) EDPI48SS 316 48" 316 stainless

steel round handle (IN STOCK) EDRL exterior door roller latch US15 Satin Nickel color (IN STOCK)



FDPI **LADDER**

HANDLE





Fiberglass Rustic Collection



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.







Clavos Options

LIMITED LIFETIME WARRANTY

8/0 DOORS -

6/8 DOORS



DRS1K 1 PANEL **NOT HVHZ**



DRS2K 2 PANEL **NOT HVHZ**



DMG51 MODERN



SHAKER STYLE **NOT HVHZ**



NOT HVHZ



3-PANEL FIR GRAIN



DMG5180 MODERN



DRS3F80 3 PANEL **NOT HVHZ**





DRA1P 1 PANEL PLANK

6/8 DOORS

8/0 DOORS



DRA2A PLANK 2-PANEL ARCH

PART NUMBER

DRA1P • 1 PANEL PLANK DRA2A • PLANK 2-PANEL ARCH

DRA2D • 2-PANEL ARCH DRA2B • 2 PANEL SQUARE DRA2A80 • PLANK 2-PANEL ARCH



DRA2D 2-PANEL ARCH



DRA2A80 PLANK 2-PANEL ARCH

2/4

2/6

2/8

8/0 DOORS -



DRA2P80 PLANK 2-PANEL SQUARE **NOT HVHZ**

2/10

3/0

• •

• •

HVHZ WED	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS1K • 1 PANEL								•
	DRS2K • 2 PANEL								•
//0 DOODS	DMG51 • MODERN					•			•
6/8 DOORS	DRS3F • SMOOTH						•		•
	DRS50 • 5-PANEL								•
	DRF3F • 3- PANEL FIR GRAIN								•
0/0 DOODS	DMG5180 • MODERN								•
8/0 DOORS	DRS3F80 • 3 PANEL								•

HVHZ STOCK
 HVHZ SPECIAL ORDER
 WBD STOCK
 WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

DRA2P80 • PLAN	K 2-PANEL						
■ U\/U7 STOCK	O LIVIUT SPECIAL OPPOS	D • \//E	D STOC	K 0 \\/E	D CDECI	D	

12"

14"

2/0

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply. MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass 6/8 Woodgrain Textured

Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of real wood without any of the problems associated with wood.

RESIDENTIAL LIMITED LIFETIME WARRANTY





Fiberglass 6/8 Woodgrain Textured



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

6/8 DOORS



DRG60/DRG61/ DRG63 6-PANEL



DRG49 3/4 4-PANEL



DRG00 • FLUSH shown unfinished

6/8 DOORS



DRG80 • 8-PANEL **CENTER ARCH**



DRG6C CRAFTSMAN **NOT HVHZ**



DRG29 2-PANEL 3/4 HERITAGE **NOT HVHZ**



DRG3P 3/4 PREMIUM **NOT HVHZ**

EVEZ IMPACT	IMPA
IWFACI	IWIFA

WED IMPACT	PART NUMBER
	DRG60 • 6-PAN
	DRG61 • "NARF
6/8 DOORS	DRG63 • "NARF
	55646 64445

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG60 • 6-PANEL					• •			• •
DRG61 • "NARROW UTILITY" 6-PANEL						•		
DRG63 • "NARROW UTILITY" 6-PANEL						•		
DRG49 • 3/4 4-PANEL						•		• •
DRG00 • FLUSH	• •	• •	• •	•	• •	• •	• •	• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.



6/8 DOORS



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG80 • 8-PANEL CENTER ARCH								•
DRG6C • CRAFTSMAN								•
DRG29 2-PANEL 3/4 HERITAGE								•
DRG3P • 3/4 PREMIUM								

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

IMPACT SOLID PANEL

MEETS ENERGY STANDARDS


IMPACT SOLID PANEL



plastpro[®]

Fiberglass 8 ft. Woodgrain Textured

Woodgrain doors have a stainable rich oak grain pattern that resembles the look, feel, and texture of







Fiberglass 8 ft.

Woodgrain

Textured



All door systems are sold unfinished. Natural color of woodgrain doors are tan/beige.

RESIDENTIAL LIMITED LIFETIME WARRANTY



8/0 DOORS









DRG4180 TRUE 4-PANEL **NOT HVHZ**

8/0 DOORS -








DRG3080 3-PANEL **NOT HVHZ**

DOOR CROSS SECTION



EVEZ	WBD
IMPACT	IMPACT

8/0 DOORS

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG2980 • 2-PANEL						•		•
DRG6080 • 6-PANEL						•		• •
DRG0080 • FLUSH			•		•	• •	•	• •
DRG4180 • TRUE 4-PANEL								•

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

WED	
IIIII AO I	

8/0 DOORS

PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRG8080 • 8-PANEL CENTER ARCH								•
DRG3080 • 3-PANEL						•		•

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

MEETS ENERGY STANDARDS

MEETS ENERGY STANDARDS

IMPACT SOLID PANEL





Fiberglass 6/8 Smooth Skin

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished. Natural color of smooth doors are white.

RESIDENTIAL 25 YEAR LIMITED WARRANTY






plastpro Fiberglass 6/8 Smooth Skin



DOOR CROSS SECTION



6/8 DOORS



DRS2D 2-PANEL **ARCH TOP**



2-PANEL **SQUARE TOP**



DRS41 TRUE 4-PANEL



DRS60 DRS61 DRS63 6-PANEL



DRS00 FLUSH

6/8 DOORS



6/8 DOORS

DRS80 8-PANEL **CENTER ARCH**



3/4 PREMIUM **NOT HVHZ**



CRAFTSMAN

DRS80 • 8-PANEL CENTER ARCH

DRS2G • 2-PANEL PLANK ARCH

DRS29 • 2-PANEL SQUARE

DRS3E • 3-PANEL 3/4 ELITE

PART NUMBER

DRS3P • 3/4 PREMIUM DRS6C • CRAFTSMAN

DRS49 • 3/4 4-PANEL



12"

14"

DRS49 3/4 4-PANEL **NOT HVHZ**



2-PANEL PLANK

2/0

2/4



DRS29 2-PANEL

2/6

2/8

3-PANEL 3/4 ELITE

3/0

• •

• •

2/10

HVHZ WBD	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS2D • 2-PANEL ARCH TOP						•		• •
	DRS2B • 2-PANEL SQUARE TOP						• •		• •
	DRS41 • TRUE 4-PANEL						•		• •
6/8 DOORS	DRS60 • 6-PANEL WIDE PANEL DESIGN					• •			• •
	DRS61 • "NARROW UTILITY" 6-PANEL						•	• •	•
	DRS63 • "NARROW UTILITY" 6-PANEL						•		
	DRS00 • FLUSH			• •	• •	• •	• •	• •	• •
7/0.0000	DRS61 7/0 • "NARROW UTILITY"6-PANEL								•
7/0 DOORS	DRS00 7/0 • FLUSH						•		•

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

 ◆ HVHZ STOCK
 ◆ HVHZ SPECIAL ORDER
 ◆ WBD STOCK
 ◆ WBD SPECIAL ORDER All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply



Fiberglass 8ft. Smooth Skin

These doors are scratch-resistant! Patented, pre-pigmented white skin infuses the door white through and through. Can be painted or faux finished to coordinate with your home decor.

All door systems are sold unfinished. Natural color of smooth doors are white.








plastpro Fiberglass 8ft. Smooth Skin



DOOR CROSS SECTION



8/0 DOORS



DRS2B80 2-PANEL SQUARE TOP



DRS6080



DRS2D80 2-PANEL ARCHED TOP



DRS2G80 2-PANEL ARCHED TOP PLANK

8/0 DOORS



DRS3080 **NOT HVHZ**



DRS2980 2-PANEL



DRS0080 FLUSH



DRS4180 TRUE 4-PANEL **NOT HVHZ**

AVHZ	
IMPACT	

8/0 DOORS



PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
DRS2B80 • 2-PANEL SQUARE TOP						•		• •
DRS6080 • 6-PANEL					• •	• •		• •
DRS2D80 • 2-PANEL ARCHED TOP						•		•
DRS2G80 • 2-PANEL ARCHED TOP PLANK								• •

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER

All door sizes shown can be built as double door systems. Some models available Fire Rated, minimum quantities may apply.



8/0 DOORS



PACT	PART NUMBER	12"	14"	2/0	2/4	2/6	2/8	2/10	3/0
	DRS3080 • 3-PANEL						•		•
	DRS2980 • 2-PANEL						•		•
	DRS0080 • FLUSH			•	•	• •	• •	• •	•
	DRS4180 • TRUE 4-PANEL						•		•

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

Some models available Fire Rated, minimum quantities may apply.



Novatech'

Steel Doors

Steel Doors by Novatech feature advanced manufacturing techniques, modern designs, and pre-finished options.

Features;

- 24 gauge steel (G40) hot dip galvanized to prevent rust
- Composite bottom rail
- VOC free polyurethane high-density foam core
- 20 minute fire-rating available
- Available in a large variety of colors for projects of 300 doors or more. Available in black or white (and black and white) for jobs of 25 or more doors.

MEETS ENERGY STANDARDS



DOOR FRAMES

BRICKMOLD

TRIM

T-ASTRAGALS

THRESHOLDS

WEATHERSTRIPPING

HINGES

LOCKSETS

HIGH SECURITY LOCKSETS

MULLIONS

COMPONENTS & HARDWARE







FLUSH











SYDNEY



IMPACT IMPACT	PART NUMBER	2/8	2/10	3/0			
	FLUSH	• •		• •			
	LONDON 2-PANEL	• •		• •			
/ /0 DOODS	6 PANEL	• •		• •			
6/8 DOORS	VOG						
	SOHO	• •		• •			
	SYDNEY			• •			
	EDPI60SS 316 60" 316 stainless steel round handle (IN STOCK)						
PULL HANDLES	EDPI48SS 316 48" 316 stainless steel round handle (IN STOCK)						
	EDRL exterior door roller latch US15 Satin Nickel color (IN STOCK)						

• HVHZ STOCK • HVHZ SPECIAL ORDER • WBD STOCK • WBD SPECIAL ORDER All door sizes shown can be built as double door systems.

All models available Fire Rated, minimum quantities may apply.

FOR ALL DOOR HARDWARE AND
COMPONENT OPTIONS, REFER
TO OUR DOORSHOP COMPONENTS
AND HARDWARE CATALOGS AT
BHIFLORIDA.COM





COMPONENTS & HARDWARE DOORFRAMES & MOLDING

plastpro PF Frames Doorframes Moldings

This rigid Poly-Fiber formulation door jamb offers the very best in product performance, and is easy to use. Our innovative PF Frames can be machined like wood, look and feel like wood, and can be painted or stained. The noticeable difference comes down to the strength and durability.

- Closed Cellular Structure
- Twice The Screw-Holding Power of Wood
- Rigid Poly-Fiber Formulation

DOOR FRAME	JAMB (DOOR FRAME) DEPTH SIZE							
6/8, 7/0 & 8/0	4-9/16"	5-1/4"	6-9/16"	7-1/4"				
SMOOTH FINISH	•	•	•	•				
WOOD GRAIN FINISH	•	•	•	•				




The closed cellular structure of our composite frames ensures that the molding will not absorb moisture, and that the frame will resist splitting, rotting and insect damage.



WOOD FRAME PLASTPRO PF™ FRAME





(REQUIRED FOR USE WITH SOME HVHZ SINGLE DOOR UNITS)

SKU	DESCRIPTION	FINISH	CASE PK
YR02081BLACK	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BLACK	12
YR02081US26	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BRIGHT CHROME	12

SEE PAGE 170.



COMPONENTS & HARDWARE BRICKMOLD









11/32 X 9/16 STOP MOLDING

• White smooth molding can be painted of faux finished

> • Tan textured molding can be painted or stained

180 3/16 X 2 **SMOOTH** PRIMED

BRICKMOLD AND MOLDING SMOOTH

SKU	SIZE	DESCRIPTION	FINISH
PFWBM17685 85"x1-1/2"x5/8"		Smooth PF Brickmold	White
PFWBM176102	102"x1-1/2"x5/8"	Smooth PF Brickmold	White
PFWBM18085	85" x 3/16"x2"	Smooth PF Brickmold	White
PFWBM180102	102"x1-3/16"x2"	Smooth PF Brickmold	White
PFMTS24M10000	100"x2-1/2"	Smooth PF Mullion Strip	White
PFWSSM100	100"x11/32"x9/16"	Smooth PF Sidelite Stop Molding	White

BRICKMOLD AND MOLDING TEXTURED

SKU	SIZE	DESCRIPTION	FINISH
PFBM176102	102"x1-1/2"x5/8"	Textured PF Brickmold	Tan
PFBM180102	102"x1-3/16"x2"	Textured PF Brickmold	Tan
	•		
PFMTG24M10000	100"x2-1/2"	Textured PF Mullion Strip	Tan
PFSSM100	100"x11/32"x9/16"	Textured PF Sidelite Stop Molding	Tan

STRUCTURAL MULLION

SKU	SIZE	DESCRIPTION
MULL1414RECP12W	1" x 4" x 1/4" x 12'	Aluminum White
MULLCLIP1	3 3/8" X 8 1/4"	Aluminum (Works with MULL1414) Each Mullion requires 2 clips
	an ana.	
MULL2614RECP12W	2" x 6" x 1/4" x 12'	Aluminum White
MULLCLIP2	3 3/8" X 5 1/2"	Aluminum (Works with MULL2614) Each Mullion requires 2 clips

COMPONENTS & HARDWARE ASTRAGALS


DLP - PRESSRITE, INC.

Aluminum Astragals

Florida building code testing results show our Aluminum exterior door T-astragals to be among the top performers in structural testing, and weather resistance.

Available in White, Bronze or Stainable in 6/8, 7/0 and 8/0 sizes

Adjustability



4-way adjustable (horizontal and vertical) strike latch plates

Security




Flip lever locks


Precision



Slide bolt with machined center punch allows for precise bolt location and ease of installation.







Add an Astragal Security Strip to any outswing double door combination for added security, a clean finished appearance, and eliminate the reveal between the doors.













COMPONENTS & HARDWARE THRESHOLDS AND WEATHERSTRIP

OUTSWING



Bronze or Mill Finish.

DLP - PRESSRITE, INC.

The first step to protecting your home's interior from insects and inclement weather

handicap accessibility doors. Available as


Sizes: 4 9/16, (extenders for 5 1/4, 6 9/16, 7 1/4)

Available for inswing, outswing and

is including a DLP threshold.

Aluminum Thresholds

OUTSWING HVHZ



L HANDICAP



Weatherstrip

When it comes to keeping the good weather in and the bad weather out, Pro-Lon weatherstripping is the next step towards creating the ultimate door seal. This quality door seal is manufactured in North America, and both its short reach and long reach profile are designed to function with perfection.




Optional Corner Seal






Wrap Around Door Sweep



Screw-On Door Sweep



COMPONENTS & HARDWARE HINGES

COMPONENTS & HARDWARE LOCKSETS

Hinges BHIHinges

Specially designed for high-performance and tested for long lasting endurance. BHI offers the best-in-class hinges in stainless steel, and most popular U.S. colors.







September 1 Statement	DULL	DICHRO-	NICKEL	ANTIQUE	LESS	ANTIQUE	PRIMED	NICKEL	BRIGHT	SATIN
	CHROME US26D	MATE US2D	SMOOTH US15S	BRASS US5	STEEL US32D	NICKEL US15A	WHITE USPP	BRUSHED US15	BRASS US3	BRONZE US10C
Color chart for representation only.										
4"x 4" BALL BEARING 5/8" RADIUS x RADIUS STUD					•					•
4"x 4" BALL BEARING 5/8" RADIUS x SQUARE STUD		•			•					
4"x 4" SPRING 5/8" RADIUS x SQUARE		•	•							•
4"x 4" SPRING 5/8" RADIUS x RADIUS		•	•				•			•
4"x 4" SAFETY 5/8" RADIUS x RADIUS STUD	•	•	•	• (NRP)	•	•	•	•	•	•
4"x 4" SAFETY 5/8" RADIUS x SQUARE STUD	•	•			•			•	•	•

STAIN-

• IN STOCK Stud = Security Hinge with Removable Pin NRP = Non Removable Pin







INSIDE VIEW

LOCKSETS

YRD226

Touchscreen Deadbolt

01.0210	OIL-RUBBED BRONZE US10BP	SATIN NICKEL US15	BRASS US3
TOUCHSCREEN DEAD BOLT	•	•	0

• IN STOCK • SPECIAL ORDER TOUCHSCREEN DEADBOLTS NEED TO BE ORDERED WITH KNOB OR LEVER SET OF CHOICE

New Traditions

Standard-duty residential locksets with enhanced quality, durability, and style features. (ANSI Grade 3)

- Limited Lifetime Warranty
 - Pre-installed Screws
 - Concealed Screws
- Interior Snap On-Off /Knobs & Levers
 - Removable Cylinder
- Brass Cylinder Housing Standard Superior for Florida Weather and Salt Air
 - Non-handed Levers
 - Whole House Keying







WOODLAND

623 RAINIER



622 MCKINLEY

SAVANNAH



DEADBOLT

	BRASS US3	GUN METAL USGM	SATIN NICKEL US15	RUBBED BRONZE US10BP	DULL CHROME US26D	SUEDE BLACK USSB	ANTIQUE NICKEL US15A	ANTIQUE BRASS US5
Color chart for representation only.								
622 MCKINLEY	•	0	•	•	0	0	0	•
623 RAINIER		•	•	•	0	0	0	
771 SAVANNAH	•	0	•	•	0		0	
700 CIRRUS	•	0	•	•	•			
771 WOODLAND		0	•	•	0	0	0	0
820 DEAD BOLT	•	0	•	•	•	0	•	•

• IN STOCK • SPECIAL ORDER; AVAILABLE BY QUICK-SHIP 10 DAYS OR LESS

94 BHI DOORS EXTERIOR DOOR SYSTEMS 95

COMPONENTS & HARDWARE LOCKSETS

Yale Heritage



Prestige, strength, and longevity.

Yale offers residential and light-commercial locksets in a wide range of exciting designs at surprisingly affordable prices. (ANSI Grade 2)

- Limited Lifetime Warranty
- Push-button Locking, meets ADA guidelines
- Pre-installed Screws
- Concealed Screws
- Brass Cylinder Housing Standard
 Superior for Florida Weather and Salt Air
- Six Pin Cylinder Increases Security
- Non-handed Levers
- Whole House Keying



NORWOOD

Color chart for representation only.

926 HOMESTEAD

927 JAMESTOWN

71 NORWOOD

70 DARTMOUTH 70 CAMBRIDGE

71 MCCLURE 71 VALDOSTA

71 CITADEL/AUGUSTA

83 SELECT DEAD BOLT

WITH SECURITY STRIKE



71 CITADEL/AUGUSTA UL Available

SATIN

NICKLE

US15

•

OIL

RUBBED

BRONZE

US10BP

0

BLACK

USSB

0

0

0

0

CHROME

US26D

0

0

0









926 HOMESTEAD

70 DARTMOUTH 10BP

ANTIQUE ANTIQUE

BRASS

US5

0

0

NICKLE

US15A

0

0

0

0





71 VALDOSTA

US26

0

0

0

0

0



71 MCCLURE



83 SELECT DEADBOLT UL Available (Comes with security strike)

•

0

0

COMPONENTS & HARDWARE MULTI-POINT SECURITY LOCKSETS

TRILENNIUM™ Multi-Point Security Locksets



- Stainless steel face-plates and strikes
- Strike Rollers and latches draw the door panel into perfect alignment with the jamb for a tight seal
- A single downward turn of the interior handle releases all three deadbolts - making this system panic proof
 - Keying available



PINNACLE SHOWN IN VICTORIAN BRONZE



RECTANGULAR SHOWN IN POWDER COAT BLACK



HORIZON

CURVED SHOWN IN POWDER COAT BLACK

	SATIN NICKEL	VICTORIAN BRONZE	BRIGHT BRASS	POWDER- COAT BLACK
Color chart for representation only.				
HORIZON	•	0	0	
ECLIPSE	•	•	•	0
PINNACLE	•	•	0	
RECTANGULAR	0	0		•
CURVED	0	0		•
ECLIPSE GRIP SET	0	•	0	0

• IN STOCK • SPECIAL ORDER

[•] IN STOCK • SPECIAL ORDER; AVAILABLE BY QUICK-SHIP 10 DAYS OR LESS

SPECIFICATIONS TRANSOMS, WINDOWS AND DIRECT SET SIDELIGHTS

Impact rated transoms, windows and direct set sidelights are built and shipped as separate units from matching single and double door systems.

(A direct set sidelight is a system with glass glazed to frame with no sash).






Transoms, windows and direct set sidelights are built using composite smooth or textured frames.

PRODUCT APPROVALS


For WBD (Wind Borne Debris) FL# 27399.2 For HVHZ (High Velocity Hurricane Zone) FL# 27399.3


CONFIGURATIONS





SPECIFICATIONS TRANSOMS, WINDOWS AND DIRECT SET SIDELIGHTS





IMPACT RECTANGULAR FIXED LITE TRANSOM / WINDOW



Available in 1x4, 2x4 & 2x6 sizes for 6/8 & 8/0 doors. Can be used in between transom windows or sidelights where structural beams are required by code.

SIZING

Each unit type available 8" up to the maximum size in charts A and B.

Calculating sizing:

Most impact products have approvals that require use of structural members between door units, sidelights, transoms and windows in their installation details.

To calculate the width needed for a transom window unit 'outside frame to outside frame' dimensions, add the door unit width and the side light unit(s) (if any) along with the BHI aluminum structural Mullion width of 2" per each Mullion to go between each separate unit.

Using structural 2x4 BHI aluminum mullion

Example 1; Single door unit with 2 sidelights configuration (OXO) utilizing a 2 /10 x 6/8 door with 2 sidelights 14".Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each, and add 2" each for the 2 BHI aluminum structural Mullions needed for between the two sidelights = 70.5"

Using structural 1x4 BHI aluminum mullion

Example 2; Single door unit with 2 sidelights configuration (OXO) utilizing a 2 /10 x 6/8 door with 2 sidelights 14". Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each, and add 1" each for the 2 BHI aluminum structural Mullions needed for between the two sidelights = 68.5"

Structural member 2x4 wood

Example 3; A single door unit with 2 sidelights configuration (OXO) utilizing a 2 /10 x 6/8 door with 2 sidelights 14". Add the 2/10 door unit width of 35.5" to 2 each 14" sidelight units at 15.5" each and add 1.5" each for the 2 2x4 Mullions needed for between the two sidelights = 69.5"

98 BHI DOORS EXTERIOR DOOR SYSTEMS

SPECIFICATIONS CUSTOM GLASS SIZING







	IMPACT CUSTOM DOOR GLASS SIZES										
	1/4 LIGHT	HALF LIGHT	3/4 LIGHT	FULL LIGHT	SIDELIGHT	DIRECT SET GLASS					
GLASS SIZE 6/8	22×10	20x36	22×48	14 x 64	7x64						
	21x16	22x36		20 x 64		SEE PAGE 96					
	25×15 1/4			22 x 64		17132 70					
	1/4 LIGHT	HALF LIGHT	3/4 LIGHT	FULL LIGHT	SIDELIGHT						
CLASS SIZE 0/0	25×15 1/4	22×48	22×64	14×80	8x80						
GLASS SIZE 8/0				20×80		SEE PAGE 96					
				22x80		17.02 70					

CUSTOM SIZE FRAMED IMPACT WINDOWS, TRANSOMS AND SIDELIGHTS

WINDOWS										
8"up to 48"										
8"to 48"	height									

TRANSOMSMaximum size 97.75" wide x 37.5" height

DIRECT SET SIDELIGHT GLASS

8"up to 37.5" wide, and up to 97.75" height





BHI DOORS EXTERIOR DOOR SYSTEMS 99

SPECIFICATIONS DOOR UNIT SIZING

	PRE-HUNG DIMENSIONS									
DOOR & SIDELIG	HT WIDTHS	12"	14"	2/0	2/4	2/6	2/8	2/10	*2/10	3/0
Single Unit Width		13-1/2"	15-1/2	25-1/2"	29-1/2"	31-1/2"	33-1/2"	35-1/2"	35-1/2"	37-1/2"
DOOR & SIDELIG	HT WIDTHS			4/0	4/8	5/0	5/4	5/8	5/8	6/0
Double Unit Width		_	_	50-1/8"	58-1/8"	62-1/8"	66-1/8"	70-1/8"	70-1/8"	74-1/8"
Unit Height - 6/8	Inswing	82"	82"	82"	82"	82"	82"	82"	80-5/8"	82"
Unit Height - 6/8	Outswing	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	80-5/8"	79-3/8"	80-5/8"
Unit Height - 8/0	Inswing	98"	98"	98"	98"	98"	98"	98"		98"
Unit Height - 8/0	Outswing	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"	96-5/8"		96-5/8"

All Pre-hung dimensions are based on outside to outside frame. * 6/6 2/10 units – Undersized for replacing sliding glass doors. Custom heights available.

Caution: When doors with sidelights are used together (except for doors using hinged sidelights) in many cases, a 2x4 or structural mullion are required to be installed between the door and sidelight frames to meet the requirements of test approvals. This will effect the overall sizing of the opening for pre-hung units.

STRUCTURAL MULLION

Available in 1x4, 2x4 & 2x6 sizes for 6/8 & 8/0 doors. Can be used between transom windows or sidelights where structural beams are required by code. FL approval #17472.2



PRE-HUNG DIMENSIONS FOR SINGLE DOOR & HINGED SIDELIGHTS (COMBO)

UNITS IN POLY-FIBER COMPOSITE DOOR FRAMES – DOOR & SIDELIGHT COMBO 3/0 SINGLE DOOR W/ 1-12" SIDELIGHTS 3/0 SINGLE DOOR W/ 1-14" SIDELIGHTS 3/0 SINGLE DOOR W/ 1-2/0 SIDELIGHTS **DOOR & SIDELIGHT WIDTHS UNIT WIDTH** 50-1/4" 52-1/4" 62" 82" 82" Unit Height - 6/8 Inswing 82" Unit Height - 6/8 Outswing 80-5/8" 80-5/8" 80-5/8" 98" Unit Height - 8/0 Inswing 98" 98" Unit Height - 8/0 Outswing 96-5/8" 96-5/8"

All Pre-hung dimensions are based on (outside to outside frame) using Poly-Fiber Composite door frames.

COMBO; pre-hung door with a hinged sidelight that allows for a larger opening.



PRODUCT APPROVALS









PRODUCT APPROVALS

FIBERGLASS SOLID DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

IMPACTIMPACT	WBD IMPACT				
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.5	Х	3/0 x 6/8	Yes	Inswing / Outswing	+65/-70 (IS) +65/-65 (OS)
17184.5	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.5	ОХО	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.6	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.6	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17347.15	Х	3/0 x 8/0	Yes	Inswing / Outswing	+60/-65 (IS) +60/-60 (OS)
17347.15	ох хо	6/0 x 8/0	Yes	Inswing / Outswing	+40/-45 (IS) +40/-40 (OS)
17347.15	ОХО	9/0 x 8/0	Yes	Inswing / Outswing	+40/-45 (IS) +40/-40 (OS)
17347.16	XX	6/0 x 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)
17347.16	OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)

		DOORS SIDELIGI		OR WITH	OUT WBD IMPACT	WBD NON-IMPACT
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED DOOR	IMPACT RATED SIDELIGHT	SWING	DP RATINGS
15213.4	ox xo	4/2 x 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.5	ОХО	5/4 × 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.8	OXXO	8/4 x 6/8	Yes	No	Inswing / Outswing	+50/-50
15213.22	хо ох	4/2 × 8/0	Yes	No	Inswing / Outswing	+47/-47
15213.23	ОХО	5/4 × 8/0	Yes	No	Inswing / Outswing	+42/-48 (IS) +40/-40 (OS)
15213.26	OXXO	8/4 × 8/0	Yes	No	Inswing / Outswing	+42/-48 (IS) +40/-40 (OS)
FL#	#15213 doe:	s not require	a 2x4 b	etween d	oor unit and side ligl	nt unit.

MULTI	CT SOLID I -POINT LO	OCKS		HTS	WBD IMPACT
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.17	X OX XO	9/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.18	XX OXXO	12/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.25	X	3/0 × 8/0	Yes	Inswing / Outswing	+55/-60 (IS) +55/-55 (OS)
17184.25	OX XO OXO	9/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.26	XX OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)

MULTI WITH OR	IMPACT				
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.17	X OX XO	9/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.18	XX OXXO	12/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.25	Х	3/0 × 8/0	Yes	Inswing / Outswing	+55/-60 (IS) +55/-55 (OS)
17184.25	ох хо охо	9/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.26	XX OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)

FIBERGLASS GLAZED DOORS WITH OR WITHOUT SIDELIGHTS/TRANSOMS (WITH COMPOSITE FRAMES)

DIRECT	F AND NON-IMPA GLAZED NOVA WITHOUT SIDELIGHT	WBD MPACT			
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
28093.3	x xo ox oxo oxxo	6/0 X 6/8	YES	INSWING	+40-50
28093.4	x xo ox oxo oxxo	6/0 X 6/8	NO	INSWING	+40-50
28093.5	x xo ox oxo oxxo	6/0 X 6/8	YES	OUTSWING	+50-50
28093.6	x xo ox oxo oxxo	6/0 X 8/0	NO	INSWING	+45-50
28093.7	x xo ox oxo oxxo	6/0 X 8/0	YES	OUTSWING	+50-45
28093.9	х хо ох охо оххо	6/0 X 8/0	NO	OUTSWING	+50-45

WITH I	T GLAZED DC MULTI-POINT I WITHOUT T SIDELIGHTS	,	IMPA		
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.15	X OX XO OXO	9/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.16	XX OXXO	12/0 x 6/8 & 7/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.23	x ox xo oxo	9/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)
17184.24	XX OXXO	12/0 x 8/0	Yes	Inswing / Outswing	+50/-55 (IS) +50/-50 (OS)

GLAZED DOORS WITH OR WITHOUT SIDELIGHTS/TRANSOMS (WITH COMPOSITE FRAMES)

WITH OR V		D DOORS GHTS		V	VBD IPACT
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATINGS
17184.9	Х	3/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.9	ox xo	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.9	OXO	9/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.10	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.10	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50/-50
17184.1	X	3/0 × 8/0	Yes	Inswing / Outswing	+50/-50
17184.1	ox xo	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.1	ОХО	9/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.2	XX	6/0 x 8/0	Yes	Inswing / Outswing	+50/-50
17184.2	OXXO	12/0 × 8/0	Yes	Inswing / Outswing	+50/-50
17347.7	X OX XO	9/0 × 8/0	Yes	Inswing / Outswing	+45/-50 (IS) +45/-45 (OS)

WBD

COMPO	IM	/BD PACT							
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED	DP RATED W/ SECURITY SCREEN			
14803.7	Х	3/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55			
14803.8	XO, OX, OXO	9/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55			
14803.9	XX , OXXO	12/0 x 6/8	Yes	Outswing	+50 / -55	+50 / -55			
For 8/0 WINDSERT use FL# 15210.15									

PRODUCT APPROVALS

For WBD (Wind Borne Debris) FL# 27399.2





PRODUCT APPROVALS

FIBERGLASS SOLID DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

IMPACT S			H OR WITHOUT	HVH	
FL#	CONFIG.	UNIT SIZE (UP TO)	SWING	DP RATED	
15210.1	Х	3/0 × 6/8	Inswing/Outswing	+75/-75	INSTALLA- TION
15210.2	хо ох	6/0 x 6/8	Inswing/Outswing	+75/-75	DETAILS
15210.2	ОХО	9/0 x 6/8	Inswing/Outswing	+75/-75	REQUIRE DEAD BOLT
15210.3	XX	6/0 x 6/8	Inswing/Outswing	+50/-60 IS, +60/-60 OS	SECURITY PLATE
15210.3	OXXO	12/0 x 6/8	Inswing/Outswing	+50 / -50	FLAIE
15210.10	Х	3/0 × 8/0	Outswing	+65/-65(OS)	
15210.13	Х	3/0 × 8/0	Outswing	+90/-90 WITH SURFACE BOLTS	REQUIRES
15210.11	хо ох	6/0 x 8/0	Outswing only	+60 / -60	12"
15210.11	ОХО	9/0 x 8/0	Outswing only	+60 / -60	DEAD BOLT
15210.12	XX	6/0 x 8/0	Outswing	+65/-65	ON CENTER
15210.14	XX	6/0 x 8/0	Outswing	+90/-90 WITH SURFACE BOLTS	
15210.12	OXXO	12/0 x 8/0	Outswing only	+50 / -50	

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK)

IMPACT SOLID DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS									
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED				
15210.1	Х	3/0 x 6/8	Yes	Inswing / Outswing	+75/-75				
15210.2	OX XO	6/0 x 6/8	Yes	Inswing / Outswing	+75/-75				
15210.2	ОХО	9/0 x 6/8	Yes	Inswing / Outswing	+75/-75				
15210.3	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-60 (IS) +60/-60 (OS)				
15210.3	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50 / -50				

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK).

FOR 8/0 DOORS REFER TO COMPONENT APPROVALS OR REQUEST ASSISTANCE.

←	3-5/8"	-		003
1-1/4"		O A 7/8"	d	ď
<u> </u>	1-1/16"	3/16*		٠.

SECURITY STRIKE PLATES (FOR USE WITH HVHZ SINGLE DOOR UNITS)

SKU	DESCRIPTION	FINISH	CASE PK
YR02081BLACK	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BLACK	12
YR02081US26	1-1/4"x3-5/8" DEADBOLT SECURITY STRIKE	BRIGHT CHROME	12

WITH OR W	ITHOUT	DOORS IDELIGH	TS	6		HVHZ NON-IMPACT
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED DOOR	IMPACT RATED SIDELIGHT	SWING	DP RATED
15180.9	хо ох	6/0 x 6/8	Yes	No	Outswing only	+50 /-50
15180.9	ОХО	9/0 x 6/8	Yes	No	Outswing only	+50 /-50
15180.10	ОХХО	12/0 x 6/8	Yes	No	Outswing only	+50 / -50
15180.7	X	3/0 × 8/0	Yes		Outswing only	+50/-50
15180.7	хо ох	6/0 × 8/0	Yes	No	Outswing only	+50 / -50
15180.7	ОХО	9/0 x 8/0	Yes	No	Outswing only	+50 / -50
15180.8	XX	6/0 x 8/0	Yes		Outswing only	+50/-50
15180.12	OXXO	12/0 x 8/0	Yes	No	Outswing only	+50 / -50

STEEL DOORS

IMPACT :	STEEL S	SOLID E	OORS		HVHZ
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
20873.11	Х	3/0 x 6/8	Yes	Outswing	+70/-70
20873.12	XX	6/0 x 6/8	Yes	Outswing	+55/-55

FIBERGLASS GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

	CT DIRECT GLA OR WITHOUT IMPA	I M	VHZ PACT		
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED
28095.1	X XO OX OXO	6/0 X 6/8	YES	OUTSWING	+50-60
28095.2	X XO OX OXO	6/0 X 8/0	YES	OUTSWING	+50-60

	IENT APPROVAL IS / DIRECT SET SIDELIGHTS	HVHZ
FL#	IMPACT RATED	
27399.3	Yes	

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

GLAZED DOORS WITH OR WITHOUT SIDELIGHTS (WITH COMPOSITE FRAMES)

	W	ITH OR WITH	ILAZED D HOUT IDELIGH		NPACT	
		FL#	CONFIG.	UNIT SIZE (UP TO)	SWING	DP RATED
INSTALL		15210.4	X	3/0 x 6/8	Inswing / Outswing	+75/-75
REQUIF DEAD BO	RE	15210.5	XO OX	6/0 x 6/8	Inswing / Outswing	+75/-75
SECURI PLATE		15210.5	ОХО	9/0 x 6/8	Inswing / Outswing	+75/-75
		15210.6	XX	6/0 x 6/8	Inswing / Outswing	+50/-60 (IS) +75/-75 (OS)
		15210.6	OXXO	12/0 x 6/8	Inswing / Outswing	+50/-50
		15210.7	×	3/0 × 8/0	Outswing	+65/-65
REQUIF 12" DEAL		15210.8	хо ох	6/0 x 8/0	Outswing	+65/-65
BOL [*] ON	Г	15210.8	ОХО	9/0 x 8/0	Outswing	+65/-65
CENTE		15210.9	XX	6/0 x 8/0	Outswing	+50/-50
SUB STITU WITH 5 1/2	TE H	15210.9	XX	6/0 x 8/0	Outswing	+65/-65 WITH SURFACE BOLTS
DEAD BOLT O	NC	15210.9	OXXO	12/0 x 8/0	Outswing	+50/-50
CENTE	ER.	15210.9	OXXO	12/0 x 8/0	Outswing	+65/-65 WITH SURFACE BOLTS

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK)

WITH MU	IMPACT GLAZED DOORS WITH MULTI-POINT LOCKS WITH OR WITHOUT IMPACT SIDELIGHTS									
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED					
15210.4	X	3/0 × 6/8	Yes	Inswing / Outswing	+75/-75					
15210.5	ох хо	6/0 x 6/8	Yes	Inswing / Outswing	+75/-75					
15210.5	ОХО	9/0 x 6/8	Yes	Inswing / Outswing	+75/-75					
15210.6	XX	6/0 x 6/8	Yes	Inswing / Outswing	+50/-60 (IS) +75/-75(OS)					
15210.6	OXXO	12/0 x 6/8	Yes	Inswing / Outswing	+50 / -50					

15210 UNITS CAN BE INSTALLED WITHOUT A BUCK (DOOR JAMBS INSTALL DIRECTLY TO BLOCK). FOR 8/0 DOORS REFER TO COMPONENT APPROVALS OR REQUEST ASSISTANCE.

COMPONENT APPROVAL WINDSERT GLAZED HVHZ DOORS I M P A C T													
FL#	CONFIG.	UNIT SIZE (UP TO)	IMPACT RATED	SWING	DP RATED	DP RATED W/ SECURITY SCREEN							
14803-RI.4	Χ	3/0 × 6/8	Yes	Outswing	+50 / -50	+50 / -55							
14803-RI.5	XO OX	9/0 x 6/8	Yes	Outswing	+50 / -50	+50 / -55							
14803-RI.6	XX	12/0 x 6/8	Yes	Outswing	+50 / -50	+50 / -55							
15210.15	Х	3/0 × 8/0	Yes	Outswing	+50 / -50	+50 / -50							

PRODUCT APPROVALS

For HVHZ (High Velocity Hurricane Zone) FL# 27399.3

BHI does not warrant the suitability of any product for any specific use. For additional code information, contact a BHI representative, speak with a local plans examiner's office, or contact a contractor or engineer.

104 BHI DOORS EXTERIOR DOOR SYSTEMS BHI DOORS SYSTEMS 105

DECORATIVE GLASS SIZE OPTIONS & PRICE GROUPS – IMPACT

DECORATIVE GLASS SIZE OPTIONS & PRICE GROUPS – IMPACT

		6/8 FULL LIGHTS			6/8 1/4 LIGHTS		6/8 3/4 LIGHTS	6/8 1/2 LIGHTS		6/8 1/4 LIGHTS		8, FULL I	/0 .IGHTS	8/0 1/4 LIGHT		
	PRICE GROUP															
		22 x 64	20 x 64	14 x 64	7 x 64	21 x 16	25 x 15 1/4	22 x 48	22 x 36	20 x 36	22 x 10	22 x 80	20 x 80	14 x 80	8 x 80	25 x 15 1/4
DESIGN		686	687	624	694	876	814	607	684	672	651	612	496	487	493	814
UPTOWN	В	•										•				
GEMINI	A	•										•				
BRISTOL	В	•										•				
PARK PLACE	В	•										•				
ENTROPY	Α	•										•				
CAMDEN	В	•										•				
CROSSWALK	D	•	•	•	•		•	•	•	•		•		•	•	•
WATERSIDE	В	•		•	•			•	•			•		•	•	
CHINCHILLA	D	•			•			•	•			•			•	
BLANCA	D	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
LINEN	D	•			•			•	•			•			•	
STREAMED	D	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MICRO-GRANITE	D	•		•	•	•	•		•			•			•	•
PARIS	Α	•			•	•	•	•								•
JACINTO	В	•			•			•				•			•	
IMPRESSIONS	В	•	•		•				•			•			•	
MISTIFY	D	•						•				•				
SALIX	D	•						•				•				
RENEWED IMPRESSIONS	В	•	•	•	•				•			•		•	•	
MOHAVE	В	•	•		•			•	•			•			•	
TOPAZ	D	•			•	•	•									•
MEMORIA	В	•			•				•			•			•	
EXPRESSIONS	Α	•			•						•	•			•	
CADENCE	Α	•			•			•			•	•			•	
GRACE	D	•		•	•							•		•	•	
HEIRLOOMS	В	•	•		•			•	•			•			•	
MAJESTIC	D	•	•	•	•				•		•	•		•	•	
PINA	А	•										•				
ETCHED GLASS	А	•	•		•							•	•		•	
OVERLAYS	D	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Decorative doorglass is available in four different price groups.

The higher price group (A) to the lower price group (D) are offered based on doorglass design and materials.

GLASS SIZE OPTIONS – IMPACT

GLASS SIZE OPTIONS – IMPACT

DOORS AROUND THE HOME

DOORS AROUND THE HOME

			/8 LIGHTS			6/8 3/4 LIGHTS	6/8 1/4 LIGHTS		6/8 1/2 LIGHTS		6/8 1/4 LIGHTS	8/0 FULL LIGHTS			
	22 x 64	20 x 64	14 x 64	7 x 64	8 x 64	22 x 48	21 x 16		22 x 36	20 x 36	22 x 10	22 x 80	20 x 80	14 x 80	8 x 80
DESIGN	686	687	624	694	690	607	876		684	672	651	612	496	487	493
ONE LIGHT – CLEAR	•	•	•	•		•			•	•	•	•	•	•	•
ONE LIGHT – Low-E	•	•	•	•		•	•		•	•	•	•	•	•	•
ONE LIGHT – TURTLE	•	•		•					•			•	•		•
LIGHT-TOUCH ENCLOSED BLINDS	•	•	•	•					•	•		•	•	•	•
LIGHT-TOUCH ENCLOSED BLINDS – Low-E	•	•	•		•				•	•		•	•	•	•
ETCHED	•	•	•	•		•	•		•	•	•	•	•	•	•
								,							
GRILLS BETWEEN GLASS	•	•	•	•		•			•	•		•	•	•	•
PRAIRIE GRILLS BETWEEN GLASS	•	•		•		•			•			•			

STAIN KITS DOOR STYLIZER

Stain Kits



Contains everything you need to stain one prehung door and two sidelights or one double door unit.

- Add increased protection and durability to the life of your Plastpro Fiberglass Entry Door
- New water-based top coat is environmentally friendly and allows faster drying times
- Special formula offers long lasting vibrant colors
- Easy-to-Use for the Do-It-Yourselfer and Professional Painters
- Designed exclusively for Plastpro Fiberglass door







CAVIAR







DARK CHOCOLATE **TRUFFLE**

MOCHA

MINK

For information on how to stain a door, please visit BHIFlorida.com

Your Door StylizerTM

SMARTPHONE

Create Your Dream Entryway!


This tool allows homeowners to visualize how various ODL® Doorglass options will look in their home entryways. YOUR DOOR STYLIZER™ uses a guided design process that helps homeowners customize their entryway by replacing glass, adding glass or replacing their door. Once the user has created their dream entryway, they can save, email, share via social media or print their project to make doorglass ordering a snap.

What's Your Style?

Classic? Contemporary? Something in Between?

Find the doorglass style that suits you and your home perfectly.

UPLOAD A PHOTO OF YOUR HOME or select a sample from our gallery. Then explore, get inspired, and create the entryway that is made for your home. You can also create an account to save your photos and favorite designs.





IMPACT CATALOG VOLUME 9



bhiflorida.com